

PENTARCH
FORESTRY®

SYDNEY BLUE GUM

SYDNEY BLUE GUM

Overview

Sydney Blue Gum has a straight grain that is sometimes interlocked. Its distinctive colour varies from soft pink to dark pink and red browns. Gum veins are common in this species.

Responsible Wood RW/1-31-217 | PEFC PEFC/21-31-217

Sustainably Grown. Australian Made.

Specifications

Botanical Name
Eucalyptus Saligna

Origin of Timber
New South Wales

Density Per Standard
Unseasoned: 1110kg/m^3
Seasoned: 840kg/m^3

Hardness
Janka: 8.1

Naturally Lyctid Susceptible
Susceptible

Naturally Termite Resistant
Non-resistant

Durability Class
In-ground Contact: 3 (Moderate)
Outside Above Ground: 2 (Reasonably High)

Spread-of-Flame Index
6

Smoke-Developed Index
3

Critical Radiant Flux
>2.2 and <4.5

Smoke Development Rate
<750

Fire Group Number
3

Highest BAL Rating
BAL-19

Available Products
Flooring, Structural

Note: Variations within a timber species are normal, therefore photographs, samples and displays can only be indicative of colour and should not be used for final selection. It is normal for natural timber products to react to changes in atmospheric and environmental conditions such as humidity and temperature.

pentarchforestry.com.au

National free call 1800 818 317

©2025 PENTARCH FORESTRY PTY LTD (ABN 22 159 663 420). Pentarch Forestry and the Pentarch Forestry logo are trade marks or registered trade marks of PENTARCH FORESTRY PTY LIMITED or one of its subsidiaries. PEN_0325

PENTARCH FORESTRY®