



PENTARCH  
FORESTRY®

IRONBARK  
PREMIER DECKING™



## Why Pentarch Forestry's Ironbark Decking?

- Pentarch Forestry Ironbark Decking is manufactured from Australian Coastal Ironbark that has proven durability in Australian conditions.
- Ironbark is a strong, hard and durable timber with many applications and is non susceptible to Lyctus Borer and is naturally termite resistant.
- Pentarch Forestry Ironbark Decking is naturally fire resistant and suitable for use in BAL 12.5 and 19 areas under Australian Standard AS 3959.
- Recommended for use with F27 structural timber to complete your outdoor timber requirements such as bearers and joists, stair components, and exposed external beams.
- Ironbark can be used for internal flooring and outdoor Decking, to provide a seamless transition from inside to outside, expanding living areas or to create an outdoor room.
- Australian Hardwoods can easily be finished with a clear Decking oil or stain. Alternatively the timber can be left to weather to turn an attractive silver grey. After timber has weathered it can be restored to its original colour by resanding and coating.
- Pentarch Forestry solid hardwood products have full chain of custody certification which meets the Responsible Wood Standard AS 4707.

## Technical Specification

Properties	Ironbark
Natural Durability Class of Hardwood	Above Ground Dura 1
Strength Group Seasoned	SD1
Hardness Seasoned	Janka (kN) 16.0
Naturally Termite Resistant	Yes

Reference: Australian Standard AS1648.2 - 2006.

## Applications

### Decking

- Decks
- Screens
- Fences
- Gate
- Seating

### Commercial Decking

- Boardwalks
- Pedestrian and Light Vehicle Bridges
- Loading Docks
- Grandstands

## Standard Sizing

### Decking

86 x 19mm and 130 x 19mm

### Commercial Decking

135 x 32mm

## Grades

Standard and Better

## Lengths

Random lengths 1500mm - 5700mm



Sustainably Grown. Australian Made.

Note: Variations within a timber species are normal, therefore photographs, samples and displays can only be indicative of colour and should not be used for final selection. It is normal for natural timber products to react to changes in atmospheric and environmental conditions such as humidity and temperature.

[pentarchforestry.com.au](http://pentarchforestry.com.au)  
1800 818 317

©2025 PENTARCH FORESTRY PTY LTD (ABN 22 159 663 420). Pentarch Forestry and the Pentarch Forestry logo are trade marks or registered trade marks of PENTARCH FORESTRY PTY LIMITED or one of its subsidiaries. PEN\_0430



PENTARCH  
FORESTRY®